

我们是集设计、制造、销售和服务为一体的供应商，为需要压缩空气的各领域提供优质服务。

We are a supplier that integrates design, manufacture, sales and services for providing quality services to all fields in need of compressing air.

我们的产品包括：

- 双螺杆空气压缩机 ■ 活塞式空气压缩机 ■ 冷冻式干燥机 ■ 空气清净器 ■ 储气罐

我们的服务包括：

- 产品售前的技术咨询和配套选型
- 产品的安装和调试合格
- 产品售后的维护和保养
- 特殊规格产品的设计与提供

Our Products Include:

- Double-screw Air Compressor ● Piston Air Compressor ● Refrigeration Dryer ● Air filter ● Air tank

Our Services Cover:

- Pre-sales Technical Consultation And Complete Type Selection
- Installation And Commissioning Of Products
- After-sales Maintenance Of Products
- Design And Supply Of Products With Special Specifications

JUCAI®

聚才实业(深圳)有限公司
JUCAI INDUSTRIAL (SHENZHEN) CO., LTD.

香港总部
香港聚才国际有限公司
Tel: 852-2362 2155(10)
Fax: 852-2362 0717
中国深圳整机厂
深圳市龙华镇龙观大道聚才工业大厦
JUCAI Building, Longguan Road, Longhua
Town, Shenzhen, Guangdong, China
Tel : (86)-755-27745555 (86)-755-27748889
Fax: (86)-755-27745556
E-mail: jucai@jucai.com



AIR COMPRESSOR

- 活塞式空压机
PISTON AIR COMPRESSOR
- 活塞式空压机机头
PISTON AIR COMPRESSOR PUMP
- 活塞式空压机配件
PISTON AIR COMPRESSOR SPARE PARTS



ISO9001 Certification Approved by BSI
Management Systems.



在建新工厂效果图
Under construction new factory



- ◆ 通过中国高新技术产品鉴定
- ◆ 通过英国、美国及荷兰ISO9001质量认证
- ◆ It has passed the identification of china hi-tech product.
- ◆ It has passed ISO9001 certification.

公司简介 Company Introduction

聚才实业(深圳)有限公司, 中国领先的螺杆式与活塞式空气压缩机制造商。产品范围覆盖从0.25HP到400HP。广大客户因了解聚才的品质政策, 选择我们高品质的产品。

聚才的经营政策是“通过可靠的性能, 耐久的配件和多年的技术经验积累为客户提供增值服务。”目前我们的螺杆式空气压缩机和活塞式空气压缩机的生产能力达到50000套/年。

我们在国内外拥有超过100家的销售网络, 出口到亚洲, 中东, 东欧, 非洲和南美洲等24个国家和地区。

我们的专业工程师拥有超过10年以上的长期丰富经验, 有足够的能提供高品质的产品, 有良好的技能胜任各种应用工程项目。

因此, 每一位客户可以向聚才询问关于压缩空气配套方面的任何需求。聚才始终与客户一起, 为客户的成功和兴隆, 通过系统的产品质量控制, 一流的人力资源提供最好的技术经验, 并持续加强研发投入。

We JUCAI a leading manufacturer of Screw & Piston compressor in China. Our products range from 0.25hp to 400hp wide range. Most of our customers choose our quality products because they knew our quality policy.

Our management policy is to provide additional value to customer by Reliability performance, durability components and long experienced technologies.

Currently our production capacity of Screw and Piston compressor is 50,000 sets per year. We have sales networks more than 100 in domestic market and export to over 24 countries.

Over 10 years long experienced our professional engineers have capabilities to provide high quality products and good skilled to many kinds of application engineering projects. So, any customers are available ask to JUCAI for any requirement of compressed air.

JUCAI will be always together with customer for customer's success and prosperity through systematic production quality control, superb human resource to carry the best technology, continuous R&D as well as intensive investment.

超过10年出口国际市场经验 Over 10 Years Long Experienced Supply To Oversea Market



JUCAI 活塞式空压机 PISTON AIR COMPRESSOR

聚才: 秉承可靠性能表现和价值传统, 每一台聚才压缩机严格按照长期运转性能的标准制造, 是气动工具, 加工中心, 灭火喷洒系统和数百种其它关键工作的理想动力。对客户来说选择高信赖的产品, 聚才压缩机是理想的解决方案。

JUCAI: A Tradition of Performance, Reliability and Value Each and every Jucai compressor is built to exacting standards of quality for long-running performance. They are ideal for powering your pneumatic tools, machining centers, fire sprinkler systems and hundreds of other critical tasks. For day-to-day reliability in the most demanding conditions, Jucai compressors are the perfect solution.

JUCAI 压缩机的特色:

铸铁配件品质
瑞典超长寿命不锈钢阀片
按不间断运行设计
低转速为高强度条件使用量身定制
喷射式润滑油 & 高精度平衡铸铁扇轮
精细研磨铸铁阀板
高精度加工配件
低油耗

Features of Jucai compressor

Cast-iron Quality.
Swedish stainless steel valves for long life.
Designed to continuous operation.
Low pump RPM rated for heavy-duty use.
Splash lubrication & precised balanced cast-iron flywheel.
Cast-iron valve plate with fine grinding.
High-accuracy machined components.
Low oil consumption.



目录 INDEX

活塞式空压机 Piston Air Compressor	8 bar series			
	AW19008	AW15008	AW9008	Page.03
	AW6708	AV4008	AW3608	Page.04
	AV2508	AV1608	AV1208	Page.05
	AV808	AZ808	AZ508	Page.06
	FT200800	FT150300		Page.07
	FT100250	FT75250	FT55150	Page.08
	12 bar series			
	FHT200800	FHT150500		Page.09
	FHT100250	FHT75250	FHT55150	Page.10
	AW100012	AW80012	AW60012	Page.11
	AW40012	AW20012		Page.12
	25-30 bar series			
	AW60025	AW55030	AW105010	Page.13
	Special model series			
				Page.14
活塞式空压机机头 Piston Air Compressor Pump	HZ HV HW series			Page.15-16
活塞式空压机配件 Piston Air Compressor Parts	PARTS series			Page.17-18



AW19008
20HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW19008
马达 Motor (KW/HP)	15/20
活塞变排量 Piston variable displacement (L/min)	2901
排气量 Exhaust volume (L/min)	1900
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	120 x 3
行程 Stroke(mm)	90
空压机转速 Rotate speed of air compressor (rpm)	950
储气罐容积 Volume of gas storage tank (L)	500/300
外形尺寸 Overall dimension (L x W x H cm)	186x72x145/162x70x132
包装尺寸 Packing dimension (L x W x H cm)	196x87x149/172x73x140
净重 Net weight (kg)	619/508
毛重 Gross weight (kg)	684/568
颜色 Color	绿、灰(Green,Grey)



AW15008
15HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW15008
马达 Motor (KW/HP)	11/15
活塞变排量 Piston variable displacement (L/min)	2036
排气量 Exhaust volume (L/min)	1500
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	100 x 3
行程 Stroke(mm)	80
空压机转速 Rotate speed of air compressor (rpm)	1080
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x63x120
包装尺寸 Packing dimension (L x W x H cm)	174x77x126
净重 Net weight (kg)	385
毛重 Gross weight (kg)	414
颜色 Color	绿、灰(Green,Grey)



AW9008
10HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW9008
马达 Motor (KW/HP)	7.5/10
活塞变排量 Piston variable displacement (L/min)	1517
排气量 Exhaust volume (L/min)	900
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	90 x 3
行程 Stroke(mm)	75
空压机转速 Rotate speed of air compressor (rpm)	1060
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x51x117
包装尺寸 Packing dimension (L x W x H cm)	174x67x122
净重 Net weight (kg)	268
毛重 Gross weight (kg)	306
颜色 Color	绿、灰(Green,Grey)



AW6708
7.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW6708
马达 Motor (KW/HP)	5.5/7.5
活塞变排量 Piston variable displacement (L/min)	1068
排气量 Exhaust volume (L/min)	670
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	80 x 3
行程 Stroke(mm)	60
空压机转速 Rotate speed of air compressor (rpm)	1180
储气罐容积 Volume of gas storage tank (L)	150
外形尺寸 Overall dimension (L x W x H cm)	130x52x108
包装尺寸 Packing dimension (L x W x H cm)	142x64x118
净重 Net weight (kg)	206
毛重 Gross weight (kg)	230
颜色 Color	绿、灰(Green,Grey)



AV4008
5.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AV4008
马达 Motor (KW/HP)	4/5.5
活塞变排量 Piston variable displacement (L/min)	706
排气量 Exhaust volume (L/min)	400
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	80 x 2
行程 Stroke(mm)	60
空压机转速 Rotate speed of air compressor (rpm)	1170
储气罐容积 Volume of gas storage tank (L)	120
外形尺寸 Overall dimension (L x W x H cm)	130x47x95
包装尺寸 Packing dimension (L x W x H cm)	139x58x101
净重 Net weight (kg)	173
毛重 Gross weight (kg)	194
颜色 Color	绿、灰(Green,Grey)



AW3608
4HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW3608
马达 Motor (KW/HP)	3/4
活塞变排量 Piston variable displacement (L/min)	588
排气量 Exhaust volume (L/min)	360
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	65 x 3
行程 Stroke(mm)	48
空压机转速 Rotate speed of air compressor (rpm)	1230
储气罐容积 Volume of gas storage tank (L)	100
外形尺寸 Overall dimension (L x W x H cm)	108x43x84
包装尺寸 Packing dimension (L x W x H cm)	118x51x88
净重 Net weight (kg)	114
毛重 Gross weight (kg)	135
颜色 Color	绿、灰(Green,Grey)



**AV2508
3HP**

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AV2508
马达 Motor (KW/HP)	2.2/3
活塞变位量 Piston variable displacement (L/min)	397
排气量 Exhaust volume (L/min)	250
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	65 x 2
行程 Stroke(mm)	46
空压机转速 Rotate speed of air compressor (rpm)	1300
储气罐容积 Volume of gas storage tank (L)	100
外形尺寸 Overall dimension (L x W x H cm)	108x41x81
包装尺寸 Packing dimension (L x W x H cm)	118x51x88
净重 Net weight (kg)	102
毛重 Gross weight (kg)	121
颜色 Color	绿、灰(Green,Grey)



**AV1608
2HP**

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AV1608
马达 Motor (kw/HP)	1.5/2
活塞变位量 Piston variable displacement (L/min)	244
排气量 Exhaust volume (L/min)	160
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	51 x 2
行程 Stroke(mm)	46
空压机转速 Rotate speed of air compressor (rpm)	1300
储气罐容积 Volume of gas storage tank (L)	70
外形尺寸 Overall dimension (L x W x H cm)	103x36x75
包装尺寸 Packing dimension (L x W x H cm)	112x45x83
净重 Net weight (kg)	79
毛重 Gross weight (kg)	94
颜色 Color	绿、灰(Green,Grey)



**AV1208
1.5HP**

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AV1208
马达 Motor (kw/HP)	1.1/1.5
活塞变位量 Piston variable displacement (L/min)	207
排气量 Exhaust volume (L/min)	120
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	51 x 2
行程 Stroke(mm)	46
空压机转速 Rotate speed of air compressor (rpm)	1100
储气罐容积 Volume of gas storage tank (L)	70
外形尺寸 Overall dimension (L x W x H cm)	103x36x75
包装尺寸 Packing dimension (L x W x H cm)	112x45x83
净重 Net weight (kg)	77
毛重 Gross weight (kg)	92
颜色 Color	绿、灰(Green,Grey)



**AV808
1HP**

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AV808
马达 Motor (kw/HP)	0.75/1
活塞变位量 Piston variable displacement (L/min)	152
排气量 Exhaust volume (L/min)	80
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	47 x 2
行程 Stroke(mm)	38
空压机转速 Rotate speed of air compressor (rpm)	1150
储气罐容积 Volume of gas storage tank (L)	70
外形尺寸 Overall dimension (L x W x H cm)	103x34x69
包装尺寸 Packing dimension (L x W x H cm)	115x45x76
净重 Net weight (kg)	66
毛重 Gross weight (kg)	76
颜色 Color	绿、灰(Green,Grey)



**AZ808
1HP**

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AZ808
马达 Motor (KW/HP)	0.75/1
活塞变位量 Piston variable displacement (L/min)	110
排气量 Exhaust volume (L/min)	80
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	65 x 1
行程 Stroke(mm)	45
空压机转速 Rotate speed of air compressor (rpm)	740
储气罐容积 Volume of gas storage tank (L)	25
外形尺寸 Overall dimension (L x W x H cm)	67x35x67
包装尺寸 Packing dimension (L x W x H cm)	76x42x67
净重 Net weight (kg)	53
毛重 Gross weight (kg)	57
颜色 Color	绿、灰(Green,Grey)



**AZ508
0.75HP**

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AZ508
马达 Motor (KW/HP)	0.55/0.75
活塞变位量 Piston variable displacement (L/min)	71
排气量 Exhaust volume (L/min)	50
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	51 x 1
行程 Stroke(mm)	45
空压机转速 Rotate speed of air compressor (rpm)	770
储气罐容积 Volume of gas storage tank (L)	25
外形尺寸 Overall dimension (L x W x H cm)	67x35x67
包装尺寸 Packing dimension (L x W x H cm)	76x42x67
净重 Net weight (kg)	50
毛重 Gross weight (kg)	54
颜色 Color	绿、灰(Green,Grey)



FT200800
20HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FT200800
马达 Motor (kw/HP)	15/20
活塞变位量 Piston variable displacement (L/min)	2501
排气量 Exhaust volume (L/min)	2000
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	133 x 2/100 x 1
行程 Stroke(mm)	100
空压机转速 Rotate speed of air compressor (rpm)	900
储气罐容积 Volume of gas storage tank (L)	800
外形尺寸 Overall dimension (L x W x H cm)	212x82x166
包装尺寸 Packing dimension (L x W x H cm)	226x101x170
净重 Net weight (kg)	69
毛重 Gross weight (kg)	74
颜色 Color	绿、灰(Green, Grey)



FT150300
15HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FT150300
马达 Motor (kw/HP)	11/15
活塞变位量 Piston variable displacement (L/min)	2382
排气量 Exhaust volume (L/min)	1500
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	120 x 3
行程 Stroke(mm)	90
空压机转速 Rotate speed of air compressor (rpm)	780
储气罐容积 Volume of gas storage tank (L)	300
外形尺寸 Overall dimension (L x W x H cm)	162x70x132
包装尺寸 Packing dimension (L x W x H cm)	172x73x140
净重 Net weight (kg)	508
毛重 Gross weight (kg)	548
颜色 Color	绿、灰(Green, Grey)



FT100250
10HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FT100250
马达 Motor (KW/HP)	7.5/10
活塞变位量 Piston variable displacement (L/min)	1510
排气量 Exhaust volume (L/min)	1000
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	100 x 3
行程 Stroke(mm)	80
空压机转速 Rotate speed of air compressor (rpm)	830
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x56x120
包装尺寸 Packing dimension (L x W x H cm)	174x68x126
净重 Net weight (kg)	361
毛重 Gross weight (kg)	391
颜色 Color	绿、灰(Green, Grey)



FT75250
7.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FT75250
马达 Motor (KW/HP)	5.5/7.5
活塞变位量 Piston variable displacement (L/min)	1160
排气量 Exhaust volume (L/min)	670
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	90 x 3
行程 Stroke(mm)	75
空压机转速 Rotate speed of air compressor (rpm)	810
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x51x117
包装尺寸 Packing dimension (L x W x H cm)	174x67x122
净重 Net weight (kg)	275
毛重 Gross weight (kg)	299
颜色 Color	绿、灰(Green, Grey)



FT55150
5.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FT55150
马达 Motor (KW/HP)	4/5.5
活塞变位量 Piston variable displacement (L/min)	823
排气量 Exhaust volume (L/min)	520
排气压力 Exhaust pressure (bar)	8
气缸(直径mm x 数量) Cylinder (diameter x piece)	80 x 3
行程 Stroke(mm)	60
空压机转速 Rotate speed of air compressor (rpm)	910
储气罐容积 Volume of gas storage tank (L)	150
外形尺寸 Overall dimension (L x W x H cm)	130x52x108
包装尺寸 Packing dimension (L x W x H cm)	142x64x118
净重 Net weight (kg)	208
毛重 Gross weight (kg)	235
颜色 Color	绿、灰(Green, Grey)



FHT200800
20HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FHT200800
马达 Motor (KW/HP)	15/20
活塞变位量 Piston variable displacement (L/min)	2195
排气量 Exhaust volume (L/min)	1600
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	133 x 2/100 x 1
行程 Stroke(mm)	100
空压机转速 Rotate speed of air compressor (rpm)	790
储气罐容积 Volume of gas storage tank (L)	800
外形尺寸 Overall dimension (L x W x H cm)	212x82x166
包装尺寸 Packing dimension (L x W x H cm)	226x101x170
净重 Net weight (kg)	690
毛重 Gross weight (kg)	740
颜色 Color	绿、灰(Green,Grey)



FHT150500
15HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FHT150500
马达 Motor (KW/HP)	11/15
活塞变位量 Piston variable displacement (L/min)	1583
排气量 Exhaust volume (L/min)	1200
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	120 x 2/100 x 1
行程 Stroke(mm)	100
空压机转速 Rotate speed of air compressor (rpm)	700
储气罐容积 Volume of gas storage tank (L)	500
外形尺寸 Overall dimension (L x W x H cm)	186x72x145
包装尺寸 Packing dimension (L x W x H cm)	196x87x149
净重 Net weight (kg)	630
毛重 Gross weight (kg)	665
颜色 Color	绿、灰(Green,Grey)



FHT100250
10HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FHT100250
马达 Motor (KW/HP)	7.5/10
活塞变位量 Piston variable displacement (L/min)	1081
排气量 Exhaust volume (L/min)	800
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	100 x 2/80 x 1
行程 Stroke(mm)	80
空压机转速 Rotate speed of air compressor (rpm)	860
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x56x120
包装尺寸 Packing dimension (L x W x H cm)	174x68x126
净重 Net weight (kg)	377
毛重 Gross weight (kg)	418
颜色 Color	绿、灰(Green,Grey)



FHT75250
7.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FHT75250
马达 Motor (KW/HP)	5.5/7.5
活塞变位量 Piston variable displacement (L/min)	817
排气量 Exhaust volume (L/min)	600
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	100 x 2/80 x 1
行程 Stroke(mm)	80
空压机转速 Rotate speed of air compressor (rpm)	650
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x51x117
包装尺寸 Packing dimension (L x W x H cm)	174x67x122
净重 Net weight (kg)	280
毛重 Gross weight (kg)	312
颜色 Color	绿、灰(Green,Grey)



FHT55150
5.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	FHT55150
马达 Motor (KW/HP)	4/5.5
活塞变位量 Piston variable displacement (L/min)	525
排气量 Exhaust volume (L/min)	400
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	80 x 2/65 x 1
行程 Stroke(mm)	60
空压机转速 Rotate speed of air compressor (rpm)	870
储气罐容积 Volume of gas storage tank (L)	150
外形尺寸 Overall dimension (L x W x H cm)	130x52x108
包装尺寸 Packing dimension (L x W x H cm)	142x64x118
净重 Net weight (kg)	248
毛重 Gross weight (kg)	248
颜色 Color	绿、灰(Green,Grey)



AW100012
15HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW100012
马达 Motor (KW/HP)	11/15
活塞变位量 Piston variable displacement (L/min)	1357
排气量 Exhaust volume (L/min)	1000
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	100 x 2/80 x 1
行程 Stroke(mm)	80
空压机转速 Rotate speed of air compressor (rpm)	1080
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x62x120
包装尺寸 Packing dimension (L x W x H cm)	174x77x126
净重 Net weight (kg)	390
毛重 Gross weight (kg)	422
颜色 Color	绿、灰(Green,Grey)



AW80012
10HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW80012
马达 Motor (KW/HP)	7.5/10
活塞变位量 Piston variable displacement (L/min)	1081
排气量 Exhaust volume (L/min)	800
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	100 x 2/80 x 1
行程 Stroke(mm)	80
空压机转速 Rotate speed of air compressor (rpm)	860
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x56x120
包装尺寸 Packing dimension (L x W x H cm)	174x68x126
净重 Net weight (kg)	320
毛重 Gross weight (kg)	342
颜色 Color	绿、灰(Green,Grey)



AW60012
7.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW60012
马达 Motor (KW/HP)	5.5/7.5
活塞变位量 Piston variable displacement (L/min)	736
排气量 Exhaust volume (L/min)	600
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	80 x 2/65 x 1
行程 Stroke(mm)	60
空压机转速 Rotate speed of air compressor (rpm)	1220
储气罐容积 Volume of gas storage tank (L)	150
外形尺寸 Overall dimension (L x W x H cm)	130x52x108
包装尺寸 Packing dimension (L x W x H cm)	142x64x118
净重 Net weight (kg)	260
毛重 Gross weight (kg)	283
颜色 Color	绿、灰(Green,Grey)



AW40012
5.5HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW40012
马达 Motor (KW/HP)	4/5.5
活塞变位量 Piston variable displacement (L/min)	525
排气量 Exhaust volume (L/min)	400
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	80 x 2/65 x 1
行程 Stroke(mm)	60
空压机转速 Rotate speed of air compressor (rpm)	870
储气罐容积 Volume of gas storage tank (L)	150
外形尺寸 Overall dimension (L x W x H cm)	130x52x108
包装尺寸 Packing dimension (L x W x H cm)	142x64x118
净重 Net weight (kg)	237
毛重 Gross weight (kg)	259
颜色 Color	绿、灰(Green,Grey)



AW20012
3HP

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW20012
马达 Motor (KW/HP)	2.2/3
活塞变位量 Piston variable displacement (L/min)	300
排气量 Exhaust volume (L/min)	200
排气压力 Exhaust pressure (bar)	12
气缸(直径mm x 数量) Cylinder (diameter x piece)	65 x 2/51 x 1
行程 Stroke(mm)	48
空压机转速 Rotate speed of air compressor (rpm)	940
储气罐容积 Volume of gas storage tank (L)	100
外形尺寸 Overall dimension (L x W x H cm)	108x43x85
包装尺寸 Packing dimension (L x W x H cm)	118x51x88
净重 Net weight (kg)	132
毛重 Gross weight (kg)	149
颜色 Color	绿、灰(Green,Grey)

25-30 bar series

活塞式空压机
Piston Air Compressor



AW60025
10HP

高压机
High Pressure

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW60025
马达 Motor (KW/HP)	7.5/10
活塞变量 Piston variable displacement (L/min)	830
排气量 Exhaust volume (L/min)	600
排气压力 Exhaust pressure (bar)	25
气缸(直径mm x 数量) Cylinder (diameter x piece)	90 x 2/51 x 1
行程 Stroke(mm)	75
空压机转速 Rotate speed of air compressor (rpm)	870
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	164 x 57 x 117
包装尺寸 Packing dimension (L x W x H cm)	177 x 71 x 120
净重 Net weight (kg)	358
毛重 Gross weight (kg)	410
颜色 Color	绿、灰(Green,Grey)



AW55030
10HP

高压机
High Pressure

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW55030
马达 Motor (KW/HP)	7.5/10
活塞变量 Piston variable displacement (L/min)	811
排气量 Exhaust volume (L/min)	550
排气压力 Exhaust pressure (bar)	30
气缸(直径mm x 数量) Cylinder (diameter x piece)	90 x 2/51 x 1
行程 Stroke(mm)	75
空压机转速 Rotate speed of air compressor (rpm)	850
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	164 x 57 x 117
包装尺寸 Packing dimension (L x W x H cm)	177 x 71 x 120
净重 Net weight (kg)	358
毛重 Gross weight (kg)	410
颜色 Color	绿、灰(Green,Grey)



AW105010
10HP

特殊机型
Special Model

主要技术指标 MAIN TECHNICAL DATA:	
型式 Model	AW105010
马达 Motor (KW/HP)	7.5/10
活塞变量 Piston variable displacement (L/min)	1169
排气量 Exhaust volume (L/min)	1050
排气压力 Exhaust pressure (bar)	10
气缸(直径mm x 数量) Cylinder (diameter x piece)	100 x 2/80 x 1
行程 Stroke(mm)	80
空压机转速 Rotate speed of air compressor (rpm)	1050
储气罐容积 Volume of gas storage tank (L)	250
外形尺寸 Overall dimension (L x W x H cm)	165x56x120
包装尺寸 Packing dimension (L x W x H cm)	174x68x126
净重 Net weight (kg)	320
毛重 Gross weight (kg)	352
颜色 Color	绿、灰(Green,Grey)

SPECIAL MODEL series

特殊机型系列

满腔豪气 聚才动力 FULL OF AMBITION AND POWER



V008



V016



FV2070S



FT3075S



AWE30012



AVE2508



JF2500



Direct drive 直联机

Model机型		JF2500
Motor power 电机功率	HP	2.0
	kw	1.5
Electric 电源	volt / phase, hz	230/1, 50HZ
Displacement 排气量	l/min	185
	cfm	7.8
Motor speed 电机转速	rpm	2850
Max.pressure 最大压力	bar / PSI	8 / 116
	liter / Gal.	25 / 6.6
Air receiver 气罐	kg / lbs	24 / 53
Dimension 尺寸	cm	57 * 27 * 60

Special Application Models

MODEL 型式	PRODUCT CODE 产品编号	AIR TANK CAPACITY 气罐容积		ELECTRICITY 电源	MOTOR 电机		PUMP SPECIFICATION 机头参数			SPEED 转速	DISPLACEMENT 变位量	MAX.PRESS. 最大压力		DIMENSION 尺寸		NET WEIGHT 净重		
		Liter	US Gal.		Volt / Ph / hz	HP	Kw	Type	Bore(mm)			Stroke(mm)	No. of Cyl.	RPM	l/min	cfm	bar	psi
Portable construction model for easy moving																		
FV2070S	TRA100	50	13.2	230/1/50	2	1.5	HV65	65	46	2	880	269	9.5	8	145	138 * 56 * 970	120	265
FT3075S	TRA101	70	18.5	230/1/50	3	2.2	HW65	65	48	3	960	459	16.2	8	145	153 * 56 * 100	140	309
Gasoline / Diesel engine model with Automatic unloading control system																		
AVE1608	KW023-2	100	26.4	Gasoline	4	2.2	HV51	51	46	2	1,100	207	7.3	8	145	99 * 46 * 71	70	154
AVE2508	KW025-2	110	29.1	Gasoline	4	2.2	HV65	65	46	2	1,000	305	10.8	8	145	116 * 58 * 89	104	229
AWE30012	GS032-1	170	44.9	Gasoline	5.5	4	HV65	65	46	2	910	278	9.8	8	145	140 * 50 * 104	130	287
AVE2508	GS040	110	29.1	Gasoline	4	3	HW65	65	48	3	965	461	16.3	8	145	116 * 58 * 89	110	243
Baseplate compressor (Low speed model for Heavy duty operation)																		
V008	J006			220/1/50	1	1.5	HV51	51	46	2	760	143	5.0	8	145	67 * 41 * 45	40	88
V016	J038			220/1/50	2	2.2	HV65	65	46	2	880	269	9.5	8	145	95 * 45 * 46	50	110

* Any color available as requested customer's specification.

HZ HV HW series

活塞式空压机机头
Piston Air Compressor Pump

满腔豪气 聚才动力 FULL OF AMBITION AND POWER



HZ-51L6



HZ-51L HZ-65L



HV-47L



HV-51L

主要技术指标 MAIN TECHNICAL DATA:

型式 Model	马达 (kw/HP) Motor	活塞变量 (1/min) Piston variable displacement	排气量 (1/min) Exhaust volume	排气压力 (bar) Exhaust pressure	气缸(直径mm x 数量) Cylinder (diameter x piece)	行程 (mm) Stroke	空压机转速 (rpm) Revolve speed of air compressor	外形尺寸 (L x W x H cm) Overall dimension	净重 (kg) Net weight
HZ-51L6	0.18/0.25	49	20	8	51 x 1	37	650	21 x 20.7 x 29	12
HZ-51L	0.55/0.75	71	50	8	51 x 1	45	770	27 x 21.5 x 39	15.5
HZ-65L	0.75/1	110	80	8	65 x 1	35	740	27 x 21.5 x 39	15.5
HV-47L	0.75/1	152	80	8	47 x 2	38	1150	29 x 20.5 x 25.5	12
HV-51L	1.5/2	244	160	8	51 x 2	46	1300	37 x 27 x 33	22



HW-90L



HW-100L



HW-120L

主要技术指标 MAIN TECHNICAL DATA:

型式 Model	马达 (kw/HP) Motor	活塞变量 (1/min) Piston variable displacement	排气量 (1/min) Exhaust volume	排气压力 (bar) Exhaust pressure	气缸(直径mm x 数量) Cylinder (diameter x piece)	行程 (mm) Stroke	空压机转速 (rpm) Rotate speed of air compressor	外形尺寸 (L x W x H cm) Overall dimension	净重 (kg) Net weight
HW-90L	7.5/10	1517	900	8	90 x 3	75	1060	58 x 33 x 52	75
HW-100L	11/15	2036	1500	8	100 x 3	80	1080	68 x 43 x 59	119
HW-120L	15/20	2901	1900	8	120 x 3	90	950	79 x 49 x 72	185



HV-65L



HW-65L



HV-80L



HW-80L

主要技术指标 MAIN TECHNICAL DATA:

型式 Model	马达 (kw/HP) Motor	活塞变量 (1/min) Piston variable displacement	排气量 (1/min) Exhaust volume	排气压力 (bar) Exhaust pressure	气缸(直径mm x 数量) Cylinder (diameter x piece)	行程 (mm) Stroke	空压机转速 (rpm) Revolve speed of air compressor	外形尺寸 (L x W x H cm) Overall dimension	净重 (kg) Net weight
HV-65L	2.2/3	397	250	8	65 x 2	46	1300	39 x 27 x 33	26
HW-65L	3/4	588	360	8	65 x 3	48	1230	44 x 29 x 37	35
HV-80L	4/5.5	706	400	8	80 x 2	60	1170	51 x 30 x 52	50
HW-80L	5.5/7.5	1068	670	8	80 x 3	60	1180	57 x 36 x 49	67



HW-65H



HW-80H



HW-100H



HW-133H

主要技术指标 MAIN TECHNICAL DATA:

型式 Model	马达 (kw/HP) Motor	活塞变量 (1/min) Piston variable displacement	排气量 (1/min) Exhaust volume	排气压力 (bar) Exhaust pressure	气缸(直径mm x 数量) Cylinder (diameter x piece)	行程 (mm) Stroke	空压机转速 (rpm) Rotate speed of air compressor	外形尺寸 (L x W x H cm) Overall dimension	净重 (kg) Net weight
HW-65H	3/4	392	300	12	65 x 2/51 x 1	48	1230	44 x 29 x 37	38
HW-80H	5.5/7.5	736	600	12	80 x 2/65 x 1	60	1220	57 x 36 x 49	70
HW-100H	11/15	1357	1000	12	100 x 2/80 x 1	80	1080	68 x 43 x 59	123
HW-133H	15/20	2195	1600	12	133 x 2/100 x 1	100	790	96 x 56 x 84	240