


所有原料材质，生产制程，电镀必须符合RoHS要求



REV.	ECN NO.	LOCAS.	DESCRIPTION	DATE	DESIGN
A			RELEASE TO CUSTOMER	150116	YINC




SPECIFICATIONS

Current Rating: 3Amps
 Insulator Resistance: 5000Megohms min
 Dielectric Withstanding: AC 500v
 Operating Temperature: -40°~+105° c
 Contact Material: Brass
 Insulator Material: PBT
 Finish: Gold flash

UNSPECIFIED TOLERANCE: ±0.20



Contacts	Dimensions		Contacts	Dimensions	
	A	B		A	B
2*1	2.54	0	2*21	53.34	50.80
2*2	5.08	2.54	2*22	55.88	53.34
2*3	7.62	5.08	2*23	58.42	55.88
2*4	10.16	7.62	2*24	60.96	58.42
2*5	12.70	10.16	2*25	63.50	60.96
2*6	15.24	12.70	2*26	66.04	63.50
2*7	17.78	15.24	2*27	68.58	66.04
2*8	20.32	17.78	2*28	71.12	68.58
2*9	22.86	20.32	2*29	73.66	71.12
2*10	25.40	22.86	2*30	76.20	73.66
2*11	27.94	25.40	2*31	78.74	76.20
2*12	30.48	27.94	2*32	81.28	78.74
2*13	33.02	30.48	2*33	83.82	81.28
2*14	35.56	33.02	2*34	86.36	83.82
2*15	38.10	35.56	2*35	88.90	86.36
2*16	40.64	38.10	2*36	91.44	88.90
2*17	43.18	40.64	2*37	93.98	91.44
2*18	45.72	43.18	2*38	96.52	93.98
2*19	48.26	45.72	2*39	99.06	96.52
2*20	50.80	48.26	2*40	101.6	99.06



PCB LAYOUT

<table border="1"> <tr><td>DIM</td><td>TOL</td><td>DIM</td><td>TOL</td></tr> <tr><td>X.</td><td>±0.30</td><td>X'.</td><td>±4.0°</td></tr> <tr><td>X.X</td><td>±0.25</td><td>X.X'</td><td>±3.0°</td></tr> <tr><td>X.XX</td><td>±0.20</td><td>X.XX'</td><td>±2.0°</td></tr> <tr><td>X.XXX</td><td>±0.10</td><td>X.XXX'</td><td>±1.0°</td></tr> </table>	DIM	TOL	DIM	TOL	X.	±0.30	X'.	±4.0°	X.X	±0.25	X.X'	±3.0°	X.XX	±0.20	X.XX'	±2.0°	X.XXX	±0.10	X.XXX'	±1.0°	DRAW NO. 32XX-1C83-D0 DATE 150116	 http://www.lsdconn.com http://www.asia-wt.com	DRAW NAME: FEMALE HEADER Pitch2.54*8.5 2*nPIN DIP90	P/N NO. FH-32XX-1C83-D0		SHORT CODE
	DIM	TOL	DIM	TOL																						
	X.	±0.30	X'.	±4.0°																						
	X.X	±0.25	X.X'	±3.0°																						
X.XX	±0.20	X.XX'	±2.0°																							
X.XXX	±0.10	X.XXX'	±1.0°																							
DESIGN YINC DATE 150116	CHECK ZHAOZZ DATE 150116	UNIT: mm SHEET: N/A	MODEL D0	REV. A	SCALE N/A																					
APPROVED HUXW DATE 150116	connector & cable																									
THIS DRAWING CONTAINS INFORMATION THAT IS PROVIDED BY LASTAR TECHNOLOGY AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																										

深圳朗思达 香港朗思达
东莞共营 前海共赢