中国有中时
China has medium time

时铼展人生
Time shows life

中时材料科技(广东)有限公司
Zhongshi materials technology (Guangdong) Co., Ltd

ADD: 广东省东莞市黄江镇
Huangjiang Town, Dongguan City,
Guangdong Province

电话: 139 2589 8869 / 139 2589 4659 / 139 2251 9578
139 2589 2472 / 139 2589 3497

TEL : 0769-83638887 FAX : 0769-83368887
公司QQ: 2729756589 Http: www.zhongshink.com

Recruitment of Global Distributors

Certificate No: C991013

ZS Ink

中时材料科技（广东）有限公司
ZS INK CO., LTD.

Printing Consumables Solution (Vendor) **2025版**

纺织品/ 数字印刷行业
Textile/Digital Printing Industry

广告喷绘 / 3C/ 数码印刷行业
Advertising Inkjet / 3C/ Digital Printing Industry

纺织品 / 数码广告耗材
Textile / Digital advertising supplies











企业简介>>>

Company Profile



中时材料科技（广东）有限公司是一家专业研发、专业制造集应用方案供应商的数码墨水厂家，公司主要生产纺织品涂料数码墨水，广告喷绘UV墨水，数码印刷标签UV墨水。公司研发，销售，仓储位于广东省东莞市，生产基地设在峰迷全世界的仙境地--张家界。

中时公司一直以ZS，INK为注册品牌，拥有墨水研发高级工程师多人，拥有先进的生产设备，检测设备和稳定的墨水生产工艺，为纺织 、广告喷绘、数码印刷行业等提供最稳定的喷墨墨水和数码应用方案，中时人承诺：以客户至上，言行合一，永续共赢的中时精神，为保护您设备的每一个喷头做最稳定的墨水厂家，可满足数码喷绘行业的市场需求，中时墨水期待您的选择。

Zhongshi Material Technology (Guangdong) Co., Ltd. is a professional R&D; Specializing in the manufacture of digital ink manufacturers with application solution suppliers, the company mainly produces digital ink for textile coatings; Advertising spray UV ink; Digital printing label UV ink, the company's R&D, sales and warehousing are located in Dongguan City, Guangdong Province, and the production base is located in Zhangjiajie.

Zhongshi company has been ZS, INK as the registered brand, with ink research and development senior engineers, with advanced production equipment, testing equipment and stable ink production process, for textile, advertising inkjet, digital printing industry and other to provide the most stable inkjet ink and digital application solutions, Zhongshi people promise: With the spirit of customer first, unity of words and deeds, sustainable and win-win, in order to protect every nozzle of your equipment to be the most stable ink manufacturer, can meet the market demand of the digital inkjet industry, Zhongshi ink is your choice.

中时愿景 ZS Vision

为保护每一个喷头做最稳定的墨水厂家

To be the most stable ink manufacturer for protecting each nozzle

中时使命 ZS Mission

安全，环保，高品质的墨水产品，
永续经营的中时为美好生活增添色彩

Safe, environmentally friendly, and high-quality ink products, the sustainable operation of Zhongshi adds color to a better life

中时精神 ZS Spirit

客户至上，言行合一，永续共赢

Customer first, unity of words and actions, sustainable and win-win situation



中时宗旨 ZS purpose



资质证明 Qualification certificate

为保护每一个喷头做最稳定的墨水厂家





目录

Part 1

纺织品/ 数字印刷行业
Textile/Digital Printing Industry

DTG--数码直喷涂料墨水 DTG - Digital direct injection coating ink 03
DTF--数码烫画涂料墨水 DTF - Digital heat transfer coating ink 05
瓦楞纸箱颜料墨水 Corrugated box pigment ink 07

Part 2

广告喷绘 /3C/ 数码印刷行业
Advertising Inkjet / 3C /Digital Printing Industry

水晶标UV墨水（UV-DTF） Crystal Mark UV Ink (UV-DTF) 11
硬性/中性/柔性UV墨水 Hard /Neutral /Flexible ink 13
皮革/TPU手机壳/硅胶UV墨水 Leather/TPU phone case/silicone UV ink 14
UV光油/数码烫金UV光油 UV varnish / digital foil stamping UV varnish 15
标签数码印刷UV墨水 Label digital printing UV ink 17
圆柱体高喷UV墨水 Cylindrical high-spray UV ink 19
3C电子/电芯壳墨水 3C electronic/cell shell ink 21

Part 3

纺织品 / 数码广告耗材
Textile / Digital advertising supplies

DTF烫画膜 DTF PET film 25
DTF烫画热溶粉 DTF - Hot melt powder 26
水晶标(UV-DTF)AB膜 Crystal label (UV-DTF) AB film 27
数码烫金金箔膜 Digital bronzing gold foil film 28
涂层/清洗液/保湿液 Coating/Cleaning Solution/Moisturizer 29

Textile/Digital Printing Industry

纺织品/ 数字印刷行业



DTG--数码直喷涂料墨水

DTG - Digital direct injection coating ink

DTF--数码烫画涂料墨水

DTF - Digital heat transfer coating ink

瓦楞纸箱颜料墨水

Corrugated box pigment ink

Part 01

DTG
数码直喷涂料墨水
DTG – Digital direct injection coating ink







产品特点
Product characteristics

- 色彩鲜艳，色系丰富;
- 白墨白度高，遮盖力强;
- 直喷工艺，节能环保;
- 通过OEKO-TEX认证，绿色环保;
- 获得批准函(6.0/7.0),成为GOTS添加剂供应商。

- The colors are bright and the color palette is rich;
- The white ink whiteness is high and the hiding power is strong;
- Direct injection process, energy saving and environmental protection;
- Passed OEKO-TEX certification, green and environmental protection;
- Obtained approval letter (6.0/7.0) to become a GOTS additive supplier.

颜色种类
Color variety

C M Y BK W LC LM

R G B OR — 专色 Spot colors

FO FG FM FY — 荧光色 Fluorescent

应用介绍
Application introduction

成衣T恤、裁片、衬衫布直喷、棉、涤纶、混纺、尼龙、化纤等。

Ready-to-wear T-shirts, cuts, shirt cloth direct injection, cotton, polyester, blended, nylon, chemical fiber, etc.





检测参数
Detection parameter

产品型号 Model	DTG数码直喷涂料墨水 DTG - Digital direct injection coating ink
墨水打印等级 Ink printing grade	A级
气味（分5级，0级无任气味） Odor grade(Level 5, level 0 No smell)	打印在承印物上；2级 24H后；0级 Print on the substrate; 24H after grade 2; Level 0
流畅性 Fluency **墨水附着力** Ink adhesion	品牌特性优 Excellent brand characteristics
适用机型 Applicable models	爱普生13200/S3200/F1440,京瓷KJ-4B 理光G5/G6,柯尼卡1024i,富士SG1024等 EPSON13200/S3200/F1440, KYOCERA KJ-4B RICOH Ricoh G5/G6KONICA 1024i, Fujifilm SG1024, etc

中时公司承诺；本公司墨水产品全部采用进口颜料和高纯物料生产，同样一瓶墨水比色彩/比打印的高产量/比喷头的使用时间/比打印效率。

China Times Company Commitment; The company's ink products are all produced by imported pigments and high-purity materials, and the same bottle of ink is produced with high color/printing/printing, and the use time of the printhead/printing efficiency.

DTF
数码烫画涂料墨水
DTF – Digital heat transfer paint ink



适应喷头
Adaptive sprinkler

EPSON爱普生 I3200/F1440/F080等

产品特点
Product characteristics

- 白墨白度高，遮盖力强;
- 色彩鲜艳，色系丰富;
- 稳定性佳，打印过程不流墨;
- 烫画膜印后存储不返油;
- 印花柔软，回弹性佳;
- 通过OEKO-TEX认证，绿色环保;
- 获得批准函(6.0/7.0)，成为GOTS添加剂供应商。

- The white ink whiteness is high and the hiding power is strong;
- The colors are bright and the color palette is rich;
- Good stability, no ink flow during the printing process;
- The heat transfer film is stored after printing, and the oil does not return;
- The print is soft and resilient;
- Passed OEKO-TEX certification, green and environmental protection;
- Obtained approval letter (6.0/7.0) to become a GOTS additive supplier.

颜色种类
Color variety

C M Y BK W LC LM

专色 Spot colors

R G B OR

荧光色 Fluorescent

FO FG FM FY

应用介绍
Application introduction

适用于T恤、卫衣、衬衫、窗帘、棉、涤纶、混纺、尼龙、化纤等。

Suitable for T-shirts, sweatshirts, shirts, curtains, cotton, polyester, blended, nylon, chemical fiber, etc.






检测参数
Detection parameter

产品型号 Model	DTF数码烫画涂料墨水 DTF - Digital heat transfer paint ink
流畅性 Fluency **待机性能** Standby performance **耐候性** Weather resistance **墨水附着力** Ink adhesion	品牌特性优 Excellent brand characteristics
耐酸碱 Acid and alkali resistant **酒精擦拭等级** Alcohol wipe grade	（2-3）级（分5级，0级无任何色彩转移） (2-3) level (Grade 5, Grade 0 without any color transfer)
气味（分5级，0级无任气味） Odor grade(Level 5, level 0 No smell)	打印在承印物上；2级 24H后；0级 Print on the substrate; 24H after grade 2; Level 0
墨水色彩 Ink color	品牌特性优（40次水洗后颜色鲜艳） Excellent brand characteristics (bright color after 40 washes)
墨水粒径 Ink size	(D90)<100纳米 Nanometers
打印介质 Printing medium	优等烫画专用膜Excellent pet film
推荐机型 Recommended model	使用于卷材烫画专用机Used in rolling hot stamping machine

中时公司承诺；本公司墨水产品全部采用进口颜料和高纯物料生产，同样一瓶墨水比色彩/比打印的高产量/比喷头的使用时间/比打印效率。

China Times Company Commitment; The company's ink products are all produced by imported pigments and high-purity materials, and the same bottle of ink is produced with high color/printing/printing, and the use time of the printhead/printing efficiency.

瓦楞纸箱
颜料墨水
Corrugated box pigment ink









产品特点
Product characteristics

- 防水、耐晒、耐褪色；
- 色彩鲜艳，还原度高；
- 图像清晰，无毛边；
- 流畅性佳，满足高速打印需求。

- Waterproof, lightfast, fade resistant;
- The colors are bright and the degree of restoration is high;
- The image is clear and flash-free;
- Good fluency to meet the needs of high-speed printing.

颜色种类
Color variety











适用介质
Applicable media

白卡瓦楞纸、黄卡瓦楞纸、牛皮纸、铜版纸、涂布纸等。

White corrugated paper, yellow corrugated paper, kraft paper, coated paper, coated paper, etcn.

适应喷头
Adaptive sprinkler

爱普生I3200/S3200，富士SG1024/SG600，京瓷KJ-4B.RICOH理光G5/G6，惠普页宽热泡喷头等。

EPSON I3200/S3200,FUJIFILM SG1024/SG600,Kyocera KJ-4B.RICOH G5/G6, HP page wide hot bubble nozzle and so on.

Advertising Inkjet / 3C Digital Printing Industry

广告喷绘/3C/数码印刷行业



水晶标UV墨水（UV-DTF）
Crystal mark UV ink (UV-DTF)

硬性/中性/柔性UV墨水
Hard /Neutral /Flexible ink

皮革/TPU手机壳/硅胶
Leather/TPU phone case/Silicone UV ink

UV光油/数码烫金UV光油
UV varnish / digital foil stamping UV varnish

标签印刷UV墨水
Label digital printing UV ink

圆柱体高喷UV墨水
Cylindrical high-spray UV ink

3C电子/电芯壳墨水
3C Electronic/Cell shell ink

Part 02

水晶标UV墨水
UV-DTF
Crystal mark UV ink (UV-DTF)



适应喷头
Adaptive sprinkler

爱普生/理光/柯尼卡/京瓷
Epson/Ricoh/Konica/Kyocera

颜色种类
Color variety

C M Y BK W



适用于木质/玻璃/纸质/金属/塑料/陶瓷/等硬面、软面、平面、曲面材质。
It is suitable for wood/glass/paper/metal/plastic/ceramic/and other hard, soft, flat and curved materials.



设计图案 Design picture
打印图案 Print the picture
粘住贴纸 Stick the sticker
撕下透明膜 Peel off the clear film

检测参数
Detection parameter

产品型号 Model	水晶标UV墨水(UV—DTF) Crystal mark UV ink (UV-DTF)
墨水颜色 Ink color	蓝色C/红色M/黄色Y/黑色K/白色WT Blue C / Red M / Yellow Y / Black K / White WT
产品特点 Product Features	快干，省墨，色谱齐全，颜色鲜艳， 流畅性好，还原度高，色牢度高等 Fast drying, ink saving, complete color spectrum, bright color, good fluency, high degree of reduction, high color fastness and so on
适用喷头 Applicable sprinklers	EPSON爱普生5代/6代/7代喷头(压电式喷头) i3200/4720/TX800/XP600喷头、 理光系列压电式喷头(G5、G4、GH2220) EPSON 5th/6th/7th generation printhead (piezoelectric printhead) i3200/4720/TX800/XP600 printhead, Ricoh series piezoelectric printhead (G5, G4, GH2220)
适用机型 Applicable models	EPSON/Mimaki/理光系列压电式喷头UV机 EPSON/Mimaki/Ricoh series piezoelectric printhead UV machine
墨水附着力 Ink adhesion	品牌特性优 Excellent brand characteristics
墨水色彩 Ink color	颜色靓丽Bright colors
墨水粒径 Ink size	(D90)<250纳米 Nanometers
打印介质 Printing medium	亚克力/金属/玻璃/木板/瓷砖/ABS/广告布/灯箱布等Acrylic/metal/ glass/wood/tile /ABS/ advertising cloth/light box cloth, etc

中时公司承诺；本公司墨水产品全部采用进口颜料和高纯物料生产，同样一瓶墨水比色彩/比打印的高产量/比喷头的使用时间/比打印效率。
China Times Company Commitment; The company's ink products are all produced by imported pigments and high-purity materials, and the same bottle of ink is produced with high color/printing/printing, and the use time of the printhead/printing efficiency.

硬性/中性/柔性 UV墨水

Hard /Neutral /Flexible ink



产品特点
Product characteristics

- 墨水色彩丰富；
- 流畅性好、附着力佳；
- 软件技术更专业（波形/曲线）；
- 品质可替代进口墨水。

- The ink is rich in color;
- Good fluency and adhesion;
- More professional software technology (waveform/curve);
- Quality can replace imported ink.

适应喷头
Adaptive sprinkler

爱普生/理光/柯尼卡/京瓷
Epson/Ricoh/Konica/Kyocera

颜色种类
Color variety

C M Y BK W LC LM

皮革/TPU手机壳/硅胶 UV墨水

Leather/TPU phone case/Silicone UV ink

应用介绍
Application introduction



适用于皮革/人造革/PVC/PET等。
Suitable for leather/artificial leather /PVC/PET etc.



产品特点
Product characteristics

- 色彩丰富；
- 流畅性好，附着力强；
- 耐-15° 低温；
- 弯折200次不裂、不粘手，性能超越进口墨水。

- Colorful;
- Good fluency, strong adhesion;
- -15° low temperature resistance;
- Bending 200 times non - crack, non - stick hand, performance beyond imported ink.

适应喷头
Adaptive sprinkler

爱普生/理光/柯尼卡/京瓷
Epson/Ricoh/Konica/Kyocera

颜色种类
Color variety

C M Y BK W LC LM

数码烫金UV光油 / UV光油

UV varnish / digital foil stamping UV varnish

Certificate No: C991013

产品特点
Product characteristics

- 透明度高，不黄变;
- 流畅性优，附着力优;
- 打印A级效果，耐刮好;
- 百格好，耐湿优，性能优良。

- High transparency, no yellowing;
- Excellent fluency, excellent adhesion;
- Printing A class effect, good scratch resistance;
- Hundred grid good, excellent moisture resistance, excellent performance.





适应喷头:
Adaptive sprinkler

爱普生/理光/柯尼卡/京瓷
Epson/Ricoh/Konica/Kyocera

颜色种类:
Color variety

透明色（微淡色）
Transparent color (light)



应用介绍
Application introduction

适用于亚克力/手机壳/纸类/硬质材料/工业类等物品。

It is suitable for acrylic/mobile phone case/paper/hard material industrial and other articles.









检测参数
Detection parameter

产品型号 Model	UV光油/数码烫金UV光油 UV varnish / Digital foil stamping UV varnish
墨水附着力 Ink adhesion **流畅性** Fluency **待机性能** Standby performance **耐候性** Weather resistance	品牌特性优 Excellent brand characteristics
耐酸碱 Acid and alkali resistant **酒精擦拭等级** Alcohol wipe grade	（2-3）级（分5级，0级无任何色彩转移） (2-3) level (Grade 5, Grade 0 without any color transfer)
气味（分5级，0级无任气味） Odor grade(Level 5, level 0 No smell)	打印在承印物上；2级 24H后；0级 Print on the substrate; 24H after grade 2; Level 0
墨水打印等级 Ink printing grade	A级
墨水硬度 Ink hardness	2-5H
墨水粒径 Ink size	(D90)<100纳米 Nanometers
打印介质 Printing medium	亚克力/手机壳/纸类/硬质材料/工业类物品Acrylic/ mobile phone case/paper/hard materials/industrial items
推荐机型 Recommended model	使用于平板机/卷材机Used in flat plate machine/coil machine

中时公司承诺；本公司墨水产品全部采用进口颜料和高纯物料生产，同样一瓶墨水比色彩/比打印的高产量/比喷头的使用时间/比打印效率。

China Times Company Commitment; The company's ink products are all produced by imported pigments and high-purity materials, and the same bottle of ink is produced with high color/printing/printing, and the use time of the printhead/printing efficiency.

标签数码印刷 UV墨水

Label digital printing UV ink



产品特点
Product characteristics

- 流畅性佳，满足高速打印需求；
- 印刷质量高，过渡均匀，无露白、针孔现象；
- 色域宽广，图像还原度高；
- 待机性好，墨水稳定性好，适应工业应用；
- 墨水附着力优异，适用介质广；
- 墨水气味低，安全环保。

- Good fluency, full of high-speed printing needs;
- High printing quality, uniform transition, no whitening, pinhole phenomenon;
- Wide color gamut and high image reproduction;
- Good standby, good ink stability, suitable for industrial applications;
- The ink adhesion is excellent, and the applicable medium is wide;
- The ink has a low odor and is safe and environmentally friendly.

颜色种类：
Color variety

C M Y BK W　专色 Spot colors OR VI　荧光色 Fluorescent FM FY　光油 Varnish V

适应喷头
Adaptive sprinkler

爱普生13200/S3200，理光G5/G6，京瓷KJ4A等。
Epson 13200/S3200, RICOH G5/G6, KYOCERA KJ4A, etc.

应用介绍
Application introduction

亚银龙高光、PP高光、亮白高光、喷墨合成纸、PVC等。
Yayinlong highlight, PP highlight, bright white highlight, inkjet synthetic paper, PVC, etc.









产品型号	Model	标签数码印刷UV墨水 Label digital printing UV ink
墨水容量	Ink capacity	1KG/瓶 bottle
流畅性 待机性能	Fluency Standby performance	品牌特性优 Excellent brand characteristics
墨水打印等级	Ink printing grade	A级
保质期	Shelf life	12个月/12Months
储存环境	Storage environment	20-30°C 存放在避光、阴凉条件下保存 Store at 20-30°C in a dark, cool place
墨水附着力	Ink adhesion	品牌特性优 Excellent brand characteristics

中时公司承诺；本公司墨水产品全部采用进口颜料和高纯物料生产，同样一瓶墨水比色彩/比打印的高产量/比喷头的使用时间/比打印效率。
China Times Company Commitment; The company's ink products are all produced by imported pigments and high-purity materials, and the same bottle of ink is produced with high color/printing/printing, and the use time of the printhead/printing efficiency.

圆柱体高喷 UV墨水
Cylindrical high-spray UV ink



产品特点
Product characteristics

- UV光油透明度高；
- 新型UV墨水绿色环保；
- 流畅性优，附着力优，产能优；
- 耐刮好，百格好，耐湿优等性能。

- High transparency of UV gilding oil;
- The new UV ink is green and environmentally friendly;
- Excellent fluency, excellent adhesion,Excellent production capacity;
- Good scratch resistance, good hundred grid, excellent wet resistance.

适应喷头
Adaptive sprinkler

爱普生/理光/柯尼卡/京瓷
Epson/Ricoh/Konica/Kyocera

颜色种类
Color variety

C M Y BK W V

应用介绍
Application introduction

适用于玻璃、亚克力、硬质材料的瓶盖、杯、碗等异形圆柱物品。
Suitable for glass, acrylic, hard material caps, cups, bowls and other special-shaped cylindrical items..








检测参数
Detection parameter

产品型号 Model	圆柱体高喷UV墨水 Cylindrical high-spray UV ink
墨水特征 Ink features	采用环保型UV墨水 Environmentally-friendly UV ink is used
颜色控制 Color control	符合国际ICC标准 Comply with international ICC standards
流畅性 Fluency **待机性能** Standby performance **耐候性** Weather resistance **墨水附着力** Ink adhesion	品牌特性优 Excellent brand characteristics
耐酸碱 Acid and alkali resistant **酒精擦拭等级** Alcohol wipe grade	（2-3）级（分5级，0级无任何色彩转移） (2-3) level (Grade 5, Grade 0 without any color transfer)
气味（分5级，0级无任气味） Odor grade(Level 5, level 0 No smell)	打印在承印物上；2级 24H后；0级 Print on the substrate; 24H after grade 2; Level 0
墨水打印等级 Ink printing grade	A级
墨水硬度 Ink hardness	1-3H

中时公司承诺；本公司墨水产品全部采用进口颜料和高纯物料生产，同样一瓶墨水比色彩/比打印的高产量/比喷头的使用时间/比打印效率。
China Times Company Commitment; The company's ink products are all produced by imported pigments and high-purity materials, and the same bottle of ink is produced with high color/printing/printing, and the use time of the printhead/printing efficiency.

3C电子/电芯壳墨水
Cylindrical high-spray UV ink


产品特点
Product characteristics


- 强大的附着力、机械性能和电气隔离性能；
- 安全性、耐用性和整体性能提升；
- 绝缘、隔热、阻燃、防火等“三电”安全；
- 涂膜厚度达到了较理想的绝缘合格率，功能、效率、成本都达到了较好的效果。

- Strong adhesion, mechanical properties and galvanic isolation;
- Safety, durability and overall performance improvements;
- Insulation, heat insulation, flame retardant, fire prevention and other "three electricity" safety;
- The thickness of the coating film has reached a better insulation qualification rate, and the function, efficiency and cost have achieved better results.

应用介绍
Application introduction

适用于3C电子/电芯壳/铝材等。

It is suitable for 3C electronics, cell shells, aluminum, etc.



检测参数
Detection parameter

产品型号 Model	3C电子/电芯壳墨水 3C Electronic/Cell shell Ink
流畅性 Fluency **待机性能** Standby performance **耐候性** Weather resistance **墨水附着力** Ink adhesion	品牌特性优 Excellent brand characteristics
耐酸碱 Acid and alkali resistant **酒精擦拭等级** Alcohol wipe grade	（2-3）级（分5级，0级无任何色彩转移） (2-3) level (Grade 5, Grade 0 without any color transfer)
气味（分5级，0级无任气味） Odor grade(Level 5, level 0 No smell)	打印在承印物上；2级 24H后；0级 Print on the substrate; 24H after grade 2; Level 0
墨水色彩 Ink color	品牌特性优（40次水洗后颜色鲜艳） Excellent brand characteristics (bright color after 40 washes)
墨水粒径 Ink size	(D90)<100纳米 Nanometers
打印介质 Printing medium	适用于3C电子、电芯壳、铝材等 Suitable for 3C electronics, cell shells, aluminum, etc
推荐机型 Recommended model	适用于UV打印专用机 It is suitable for UV printing machines

中时公司承诺；本公司墨水产品全部采用进口颜料和高纯物料生产，同样一瓶墨水比色彩/比打印的高产量/比喷头的使用时间/比打印效率。

China Times Company Commitment; The company's ink products are all produced by imported pigments and high-purity materials, and the same bottle of ink is produced with high color/printing/printing, and the use time of the printhead/printing efficiency.



Textile/Digital advertising supplies

纺织品/数码广告耗材

DTF烫画膜
DTF PET film

DTF烫画热溶粉
DTF - Hot melt powder

水晶标(UV-DTF)AB膜
Crystal label (UV-DTF) AB film

数码烫金金箔膜
Digital bronzing gold foil film

涂层/清洗液/保湿液
Coating/Cleaning solution/Moisturizer

Part 03

DTF 烫画膜


DTF PET film

Certificate No: C991013

产品规格
Product Sepcification:

30cm*100m*75μm
60cm*100m*75μm
120cm*100m*75μm

产品特点
Product characteristics



- 厂家直销，省去中间环节、性价比高；
- 价格优惠，专业制造，可提供免费样品摆样；
- 干燥快速，使您的生产快速便捷；
- 转印率高，色彩还原度高；
- 用材环保，材质均达到国家环保要求；
- 品质稳定，工艺精益求精，精心管控。

- Leave out the intermediate link, High cost-effective;
- Professional manufacturing , free sample placement can be provided;
- Fast drying, Making your production fast and convenient;
- High transfer rate and high color reproduction;
- Material to meet the national environmental protection requirements;
- The craft strives for perfection and careful control.

DTF 烫画热熔粉

DTF – Hot melt powder

顶尖产品 绿色环保

产品特点
Product characteristics

- 热熔粉颗粒小，可适用于所有图像；
- 粉末需在干燥的环境中储存；
- 热熔粉只附着在油墨上，不会附着在烫画膜上；
- 使图像的厚度很薄，手感柔软；
- 弹性好，不开裂。

- 1. Small Hot melt powder can be suitable for all images;
- 2. The powder can be recycled in a dry environment;
- 3. Hot melt powder only adheres to the ink, not stick with printing film;
- 4. Make the thickness of the image is very thin, feel soft;
- 5. Good elasticity, no cracking.

产品规格
Product Sepcification:

烫印温度Stamping temperature：150°-160°	**熔点**Melting point: 100°-120°
烫印时间Hot stamping time：8S-15S	**压力**Pressure :15-20KG
固化时间Curing time：10S	**颜色**Color: 白/黑 White/black







水晶标（UV-DTF）AB膜

Crystal label (UV-DTF) AB film



应用介绍
Application introduction

适用于木质/玻璃/纸质/金属/塑料/陶瓷/等硬面、软面、平面、曲面材质。
Suitable for wood/glass/paper/metal/plastic/ceramic/and other hard, soft, flat and curved materials.

产品特点
Product characteristics

- 色彩靓丽；
- 流畅性好；
- 耐水洗，耐高低温；
- 拉伸弯折不裂/不粘手；
- 不泛油，易撕膜，具有优良性能。

- The color beautiful;
- Good Fluency;
- Washable, high and low Temperature resistance;
- Stretch and bend Non-cracking/non-stick hands;
- No oil, easy to tear film, with excellent performance.

数码烫金金箔膜

Digital bronzing gold foil film


产品名称 Product name:	数码烫金金箔膜 Digital bronzing gold foil film
产品材质 Product material:	PET
产品颜色 Product color:	金色、银色、淡金、亚银、哑金 Gold, silver, light gold, silver silver, matte gold

产品特点
Product characteristics

- 抗刮耐摩擦、颜色齐全、品质稳定；
- 不易飞金、材质稳定；
- 烫金清晰、色彩亮丽、款式多样；
- 丰富的生产经验，细致的加工技术。

- Scratch and friction resistance, complete colors, stable quality;
- It is not easy to fly gold, and the material is stable;
- The bronzing is clear, the color is bright, and the styles are diverse;
- Rich production experience, meticulous processing technology.





涂层附着液
Coating attachment liquid

产品特点
Product characteristics

- 无痕迹，不裂版；
- 性价比高，高效实惠；
- 使用方便，环保涂层；
- 抗刮抗污，高耐磨性。

- Traceless, uncracked version;
- Cost-effective, efficient and affordable,;
- Easy to use, environmental protection coating;
- Scratch and stain resistance, high wear resistance.





应用介绍
Application introduction

涂层液：在金属、瓷砖、玻璃、亚克力、皮革、三聚氰胺板、TPU、PVC等材料上即可适用，受到了国内外广大客户的追捧。
清洗液、保湿液：适用喷头：爱普生、理光、精工、柯尼卡、东芝等多种喷头。

Coating liquid: In metal, ceramic tile, glass, acrylic, leather, melamine board, TPU, PVC and other materials can be applied, by the countryThe pursuit of domestic and foreign customers.
Cleaning fluid, moisturizing fluid: applicable sprinkler head: Epson, Ricoh, Seiko, Konica, Toshiba, etc

清洗液
Cleaning fluid

产品特点
Product characteristics

- 不伤喷头，有效保护打印头；
- 清洗管道，冲洗喷头；
- 有较强的冲刷能力，溶解能力；
- 使墨水在管路里流畅性更好。

- No damage to the nozzle, effectively protect the print head
- Clean the pipe and flush the nozzle;
- Strong scouring ability, dissolution ability;
- Make the ink flow better in the line.

保湿液
Moisturizing fluid

产品特点
Product characteristics

- 喷头保湿：可以让喷头处于湿润状态，防止喷头堵塞；
- 保护喷头：更好的保护喷头的寿命；
- 液体特性：环保无气味，兼容性更好，可供所有机型喷头使用。



- Sprinkler head moisturizing: can make the sprinkler head in a wet state, prevent nozzle blockage;
- Protect the sprinkler head: better protect the life of the sprinkler head;
- Liquid characteristics: Environmental protection, no smell, better compatibility, can be used for all models.